Index

Acacia confusa, 181, 271
Achyranthes aspera, 293
  canescens, 168
Adult and Larval Stomatopod Crustaceans Occurring in Hawaiian Waters, 399–437
Aedes adustus, 472
  alboscutellatus, 454, 457
  andamanensis, 472
  aureostriatus, 454
  brugi, 465
  butleri, 476
  campylostylus, 473, 474, 476
  cancricomes, 477
  cinereus, 471
  curtipes, 478
  dux, 472
  hamistylus, 471, 473
  imprimens, 465
  johnsoni, 472
  kanarensis, 477
  kochi, 373
  leucopleurus, 454
  lineatopennis, 465, 468
  lowisi, 459
  luteolateralis, 465
  macrodixoa, 472, 474, 475
  margarsen, 472, 473
  miachaetessus, 477
  mindoroensis, 459
  neomacrodixoa, 475
  nigrotarsis, 475
  niveoscutellatus, 454
  nubicolus, 473
  omurensis, 457
  ostentatio, 463
  pampangensis, 454
  panayensis, 476
  platylepidus, 480
  punctifemore, 459
  robertsi, 471
  sigmoides, 472
  umbrosus, 476
  uncus, 473, 474
  vexans nocturnus, 460
  wainwrighti, 464
***Aedes* Mosquitoes of the Philippine Islands III. Subgenera *Aedimorphus*, *Banksinella*, *Aedes*, and *Cancraëdes* (Diptera, Culicidae)**, 453–481
Aedimorphus, 453
Ageratum conyzoides, 301
Aglaia ellipticifolia, 181, 182
  formosana, 182
Agrostis exarata, 501
Aioretomyia ostentatio, 463
  varietas, 474
Alepisaurus, 244
Allophylus timorensis, 295, 304
Alocasia, 319
  macrorrhiza, 297, 301, 305
  sp., 380
Amerigoniscus, 175
Anapagurus, 255
  hyndmanni, 265
Anisocheleomyia, 315
  nivipes, 315
Annona muricata, 293
Anopheles farauti, 332
  lungae, 340
  nataliae, 340
  solomonis, 340
Ant, 302
Antennaria dioica, 498
Anuraea cruciformis, 156
  eichwaldi, 157
  serrulata, 157
Anuraeopsis sp., 155
Apateodus, 244
Apocreadium, 448
Arctozenus, 219, 235
Armigeres, 381
Artemisia unalaskensis, 499
Artocarpus, 271
  altilis, 295, 304
  incisus, 167
Asclepias curassavica, 295
Asplanchna priodonta, 154, 157, 158, 160
Astronia cumingiana, 184
  ferruginea, 184
  formosana, 184
  pulchra, 184
Athyrium Filix-femina, 499

BANK, THEODORE P., II:
  Biological Succession in the Aleutians, 493–503
Banksinella, 453
  lineatopennis, 469
BANNER, ALBERT H.:
  Crangonidae of Hawaii (*see* index, p. 147)
Barringtonia asiatica, 299, 303
  racemosa, 299
Bathysudis, 219
Bauhinia monandra, 294
BELKIN, JOHN N.:
  Mosquitoes of the Genus *Uranotaenia* in the Solomon Islands, 312–391
Bibio elegans, 513
  fulvipennis, 513
  helioscops, 513
  imitator, 513
  nigrostigma, 517
  ruficoxis, 513
  substitutis, 513
  zealandicus, 517
Bibionidae of New Zealand (Diptera), 513–521
Biological Succession in the Aleutians, 493–503
Birgus, 265
Bironella, 340
  hollandi, 340
Boerlagiodendron pectinatum, 181
Brachionus angularis, 154
  angularis var. *bidens*, 154, 162
  budapestinensis, 154, 162
  calyciflorus, 154, 160, 162
  calyciflorus var. *dorcas*, 154, 160
  forficula, 154, 158, 162
  quadridentatus, 154

quadridentatus var. *brevispinus*, 154, 162
urceolaris, 154, 162
Brackenridgia, 175
Braconidae, index to genera and species, 215
Bruguiera conjugata, 300
Bryophyllum pinnatum, 293

Calamagrostis canadensis var. *Langsdorffii*, 499
Calophyllum inophyllum, 271, 294, 303
Campanula lasiocarpa, 498
Canavalia microcarpa, 300, 304
Cancer arenarius, 416
ciliatus, 412
Cancraëdes, 453
Cantherines pardalis, 448
Capsicum frutescens, 296, 305
Carex circinata, 501
Lyngbyei, 499
spp., 499
Carica papaya, 294, 303
Cassia occidentalis, 294
Cassytha filiformis, 167, 293, 300, 303
Casuarina, 271
equisetifolia, 295
Caucasonethes, 175
boruzkii, 175
henroti, 175
rothi, 175
Centotheca lappacea, 302
Chloridella affinis, 404
Chlorophthalmus, 220
Choanodera, 448
Citrus aurantifolia, 304
erythrocarpa, 183
Cladophora membranacea, 300
Clerodendrum inerme, 305
Clibanarius, 255
misanthropus, 261
Cocos nucifera, 166, 298, 301, 305
Codiaeum variegatum, 300
Coenobita, 265
Collinsiella tuberculata, 292
Colocasia, 319
esculenta, 297, 305
sp., 380
Colurella adriatica, 155
lepta, 155
obtusa, 155
Conochiloides dossuarius, 153
Conochilus hippocrepis, 153, 157, 158
unicornis, 153
Cordia cumingiana, 184
kanehirai, 185
subcordata, 166, 296, 301, 305
Corethrella, 373
Coronida, 402, 403, 425, 426
multituberculata, 420
sinuosa, 399, 400, 404, 419, 434
sp?, 433, 434
Crangon (*see* index, p. 147)
Crangonidae, or Snapping Shrimp, of Hawaii, 3–147
Crataeva speciosa, 303
Crinum sp., 298, 305
Croton cumingia, 181
Culex, 187, 319, 320, 340
annulirostris, 358
archegus, 187
argentinotus, 457
auratus, 466
imprimens, 465
luteolateralis, 468
nocturnus, 460
nocturnus niger, 460
quitensis, 190
sitiens, 332
uncus, 474
Curcuma, 319
Cycas circinalis, 293
Cynoglossum alpestre, 185
lanceolatum, 185
Cyperus javanicus, 298, 305
sp., 305
Cyrtosperma chamissonis, 168, 297, 305

Danielsea pagei, 463
Dardanus asper, 255–266
Derris trifoliata, 304
Deschampsia beringensis, 499
Development of the Pedunculate Spermatophore of a Hermit Crab *Dardanus asper* (De Haan), 255–266
Diaschizza gibba, 153
Dictyosphaeria favulosa, 292
Digitaria pruriens, 298, 302, 306
Dilophus insolitus, 516
spectabilis, 517
Diogenes, 255
pugilator, 261, 264, 265
Discussion of the Trematode Genus *Schistorchis* (Family Lepocreadiidae) with Descriptions of Two New Species from Hawaii, 447–452
Diurella brachyura, 154
porcellus, 154
stylata, 154
tigris, 154, 157, 160
weberi, 154
Dodonea viscosa, 181
Drimys, 244
defensor, 245
Dryopteris spp., 499
Dysoxylum cumingiana, 182

Ectropothecium monumentorum, 300, 303
Ehretia formosana, 185
navesii, 185
resinosa, 185
electrofishing, 482–492
Eleusine indica, 166, 298, 302, 306
Ellisiophyllum pinnatum, 180
Elymus arenarius subsp. *mollis*, 500
Enteromorpha prolifera, 303
Epilobium angustifolium var. *macrophyllum*, 499
Eragrostis amabilis, 298, 306
Eriophorum chamissonis, 499
russeolum, 495
Escualdoniscus, 175
Euchlanis alata, 155, 156
dilatata, 155
triquetra, 155, 156
Eupagurus, 255
bernhardus, 260, 261, 265
cuanensis, 261, 265
hyndmanni, 261
prideauxi, 261, 265
Euphorbia Atoto, 167
heterophylla, 294
Eurytemora, 504
affinis, 511
composita, 507

grimmi, 511
lacustris, 507
raboti, 511
velox, 511
yukonensis, 504
Evodia confusa, 183
merrillii, 183
roxburghiana, 183

Faunal Speciation in New Georgia, Solomon Islands, 250–251
Ficus carolinensis, 304
tinctoria, 295, 301, 304
Filinia longiseta, 155, 157
Fimbristylis atollensis, 298, 306
Finaloniscus, 175
Fleurya ruderalis, 166, 295, 301, 304
Floristic Interchanges between Formosa and the Philippines, 179–186
Freycinetia sp., 373

Gastroschiza triacanthum, 156
GLASSMAN, S. F.:
Plant Records from Caroline Islands and Study of Native Plant Names, 291–311
Glycosmis cochinchinensis, 183
citrifolia, 183
erythrocarpa, 183
pentaphylla, 183
Gomphrena globosa, 293
Goniothalamus amuyon, 181
Gonocaryum calleryanum, 184
diospyrosifolium, 184
larlacense, 184
Gonodactylus, 402, 403, 425, 426
guerini, 399, 404, 423
Guettarda speciosa, 167, 181, 295, 304

Halimeda opuntia, 292
HANSON, MARY LOUISE:
The Trematode Genus *Schistorchis* with Descriptions of Two Hawaiian Species, 447–452
HARDY, D. ELMO:
Bibionidae of New Zealand, 513–521
HARRY, ROBERT R.:
The Bathypelagic Fishes of the Family Paralepididae. 1. Survey of the Genera, 219–249
Hawaii as a Cloud Physics Laboratory, 522–524
Hedyotis biflora, 296, 301
Heizmannia scintillans, 480
Hemiphragma heterophyllum, 180
Hernandia ovigera, 167
sonora, 293, 300, 303
Hibiscus tiliaceus, 166, 294, 300, 303
Hieracium triste, 501
Hippobroma longiflora, 296
Hodgesia cairnsensis, 340
Holosteus, 244
esocinus, 245
Homalometron, 448
Honckenya peploides major, 500
HULL, WILLIAM B., and KENNETH L. KNIGHT:
Aedes Mosquitoes of the Philippines III, 453–481

Ichthyotringa, 243
Ilex aristanensis, 184
asprella, 184
Illigera luzonensis, 181
Inocarpus fagiferus, 300
Intsia bijuga, 271, 299, 304

Ipomoea gracilis, 297, 304
polymorpha, 181
tuba, 166
Ixora casei, 296, 301

Juncus spp., 499
Jussiaea suffruticosa, 294, 303

KANEHIRO, YOSHINORI, *et al.*:
The Role of Dehydration in Development of Laterite, 438–446
Katsuwonis pelamis, 422, 431
Keratella cochlearis, 154, 157, 158, 160
cochlearis var. *macracantha*, 154, 157, 160
cochlearis var. *tecta*, 154, 160
cruciformis var. *eichwaldi*, 155, 156, 160
quadrata, 155, 157, 158, 160
serrulata, 155, 157, 160
valga, 155, 158, 160
Knema glomerata, 183
KNIGHT, KENNETH L., and WILLIAM B. HULL:
Aedes Mosquitoes of the Philippines III, 453–481
Kuhlia sandvicensis, 486

LANDA, ANTONIO:
Relationship between Body Length and Scale Length in the Pacific Pilchard, 169–174
Laportea batanensis, 182
kotoensis, 182
laterite, development of, 438
Lathyrus maritimus, 500
Laurencia mariannensis, 303
Lecane brachydactyla, 155
ludwigii, 155
luna, 155
Lepadella acuminata, 155
borealis, 155
ovalis, 155, 157
Lepidotomyia alboscutellata, 457
Leptarrhena pyrolifolia, 499
Lepturus repens, 298, 306
Lestichthys, 244
porteousi, 245
Lestidiops, 219, 239
sphyraenopsis, 239
Lestidium, 219, 233, 239
affine, 230, 240
atlanticum, 230, 240
atrox, 231, 240
bathyopteryx, 230
bellottii, 230, 240
danae, 230
intermedium, 230, 240
japonicum, 230, 240
jayakari, 230, 240
luetkeni, 230, 240
mirabile, 230, 240
neles, 227, 231, 240
nudum, 227, 230, 239, 240
pacificum, 227, 230, 240
parri, 230
philippinum, 230
poti, 231, 240
prolixum, 231, 240
proximum, 230, 240
pseudosphyraenoides, 230, 240
ringens, 230
simile, 230, 240
sphyraenoides, 230, 240
sphyraenopsis, 230, 240

thori, 230
thunnorum, 231, 240
vanderbilti, 231, 240
Leucaena glauca, 271
Leucophanes glauculum, 300
LEVER, R. J. A. W.:
Faunal Speciation in New Georgia, 250–251
LEVI-CASTILLO, ROBERTO:
The Subgenus *Phalangomyia* of the Genus *Culex* in Ecuador, 187–192
LI, HUI-LIN:
Floristic Interchanges between Formosa and the Philippines, 179–186
Litsea cubeba, 181
Lophoceraomyia, 340
Lucio sudis, 220
Luzula arcuata, 501
Lysiosquilla, 402, 403, 425, 426
maculata, 399, 404, 416, 432, 433
sp?, 431, 433

Maba buxifolia, 181, 182
Macaranga dipterocarpifolia, 182
MCCRACKEN, RALPH J.:
Soils of Saipan, 267–277
Macroparalepis, 219, 233, 240
affine, 231, 240, 241
brevis, 231, 241
danae, 231, 241
egei, 231, 241
Magnisudis, 225, 233, 234
baryosoma, 225, 230, 235
Mallotus catervarius, 230
Mansonia, 319
MASON, LEONARD E., and HAROLD ST. JOHN:
Vernacular Names of the Plants of Bikini, 165–168
MATSUSAKA, YOSHITO, *et al.*:
The Role of Dehydration in Development of Laterite, 438–446
MATTHEWS, DONALD C.:
Development of the Spermatophore of *Dardanus asper*, 255–266
Mertensia maritima, 500
Messerschmidia argentea, 167, 296, 305
Microdictyon okamurai, 292
Microlejeunea bullata, 292
Microsorium scolopendria, 293, 303
Mirabilis jalapa, 294
Miscanthus floridula?, 271
Mokil, 292
Monommata grandis, 153
Monostyla arcuata, 155
crenata, 155
hamata, 155
lunaris, 155
pyriformis, 155
MORGAN, MORRIS E.:
Response of a Tropical Fish to Direct Current, 482–492
Morinda citrifolia, 167, 181, 182, 296, 304
Mosquitoes of the Genus *Uranotaenia* in the Solomon Islands (Diptera: Culicidae), 312–391
Murrya paniculata, 181
Musa paradisiaca, 297, 301
Myristica cagayanensis, 181, 182
glomerata, 182
heterophylla, 183
Mytilina trigona, 155
ventralis, 155
ventralis brevispina, 155

Neosudis, 220
Neothunnus macropterus, 422, 428, 431
Nepenthes, 319
Nephrolepis exaltata, 303
sp., 293
Nerium oleander, 295
New Alaskan Records of *Eurytemora* (Crustacea, Copepoda), 504–512
New Plant Records from the Eastern Caroline Islands, with a Comparative Study of the Native Plant Names, 291–311
New Terrestrial Isopod from Oregon, *Caucasonethes rothi* n. sp., 175–178
Nicotiana tabacum, 305
Notholca acuminata, 155, 160
labis, 155, 160
Nothopanax fruticosum, 295
Notolepis, 219, 233, 237
coatsi, 226, 230, 237, 239
coruscans, 226, 230, 239
rissoi, 226, 230, 238
Notommata sp., 153
Notosudis, 220

Oahu Research Center of the University of California [Note on establishment], 392–394
Observations on the Subgenus *Phalangomyia* of the Genus *Culex* in Ecuador with Description of a New Species (Diptera: Culicidae), 187–192
Ochlerotatus imprimens, 466
ostentatio, 463
Ochrosia oppositifolia, 299, 304
Ocimum sanctum, 301
Odontodactylus, 402, 403, 425, 426
hanseni, 399, 404, 421
latirostris, 421
sp?, 434
Olearia virgata, 515
Omosudis, 221
Oplismenus compositus, 299
Oregoniscus nearcticus, 177
Oreocnide trinervis, 181

Pagurus, 255
arrosor, 265
PALMER, CLARENCE E.:
Note on Establishment of Oahu Research Center of University of California, 392–394
Pandanus, 271
sp., 166, 298, 301, 305, 319, 373
Paralepididae, list of genera and species, 230
Paralepis, 219, 233, 235
albyi, 245
borealis, 235
brevirostris, 221, 230, 237
brevis, 230, 237
bronsoni, 230, 237
coregonoides, 230, 235, 237
danae, 230, 237
elongata, 226, 230, 237
philippinus, 240
speciosa, 230, 235, 237
sphekodes, 245
Parascopelus, 244
PARROTT, ARTHUR W.:
A Systematic Catalogue of Australian Braconidae, 193–218
Paspalum conjugatum, 306
vaginatum, 299, 302
Pedalia mira, 155

Peltophorum sp., 300
Pemphis acidula, 166, 181, 303
Philia acutidens, 515
crinata, 514, 516
harrisoni, 514, 515
insolita, 514, 516
nigrostigma, 513, 517
segnis, 514, 516, 518
tuthilli, 513, 518
varipes, 515
Phlebocalymna calleryanum, 184
Phyllanthus niruri, 294
Physalis minima, 305
Picea sitchensis, 501
Pilea microphylla, 295, 301
Pingelap, 299
Pinguicula vulgaris, 499
Piper ponapense, 303
Pipturus argenteus, 295, 304
Pisonia sp., 294, 303
grandis, 166
Platyias patulus, 154
Pleorchis, 448
oligorchis, 448
Ploesoma hudsoni, 154
triacanthum, 154, 156
truncatum, 154
Plumeria rubra, 295
Poinciana pulcherrima, 295
Polyarthra euryptera, 154
trigla, 154, 157
trigla var. *major*, 154
trigla var. *remata*, 154
Polygonum viviparum, 498
Portulaca oleracea, 293
samoensis, 167, 293
Preliminary Report on the Soils of Saipan, Mariana Islands, 267–277
Preliminary Studies on the Rotatorian Fauna of Korea, 151–164
Premna integrifolia, 185
gaudichaudii, 297, 301, 305
nauseosa, 185
obtusifolia, 185
odorata, 185
vestita, 185
Primula cuneifolia, 498
Prinos asprella, 184
Procris pedunculatus, 304
Profundisudis, 233, 238
Protosquilla, 424
guerinii, 423
Protrichoniscus, 175
Prunella vulgaris var. *aleutica*, 495
Prymnothonoides, 237
regani, 237
Prymnothonus, 237
hookeri, 237
Pseuderichthus communis, 400
Pseudoficalbia, 315
pandani, 315
Pseudohowardina chrysoscuta, 463
linealis, 468
Pseudoskusea mediolineata, 475
nigrotarsis, 475
Pseudosquilla, 402, 403, 425, 426
ciliata, 399, 400, 403, 412, 428
monodactyla, 415
oculata, 399, 403, 415, 429
stylifera, 412
Pseudouranotaenia, 315
parangensis, 349
rowlandi, 315
Pteristripartita, 293, 300
Pterodina bidentata, 156
Puccinellia pumila, 500

Reedomyia, 453
alboscutella, 457
pampangensis, 453, 454
Relationship between Body Length and Scale Length in Five Year-Classes of the Pacific Pilchard or Sardine, *Sardinops caerulea* (Girard, 1854), 169–174
Response of a Tropical Fish to Direct Current and Its Application to the Problems of Electrofishing in Sea Water, 482–492
Rhinellus, 243
Role of Dehydration in the Development of Laterite, 438–446
Rotaria sp., 155

Saccharum officinarum, 299
ST. JOHN, HAROLD, and LEONARD E. MASON: Vernacular Names of the Plants of Bikini, 165–168
Sardinops caerulea, 169
Saxifraga punctata insularis, 499
Scaevola frutescens, 167, 296, 304
Scaridium eudactylotum, 153
Schistorchis, 447, 448
callyodontis, 448
carneus, 447
sigani, 448
stenosoma, 447, 448
zancli, 447, 450
Schizostachyum diffusum, 181
Scirpus spp., 499
Scopeloides, 244
Scytonema figuratum, 292
hofmannii, 303
Seasonal Variations in the Physical Environment of the Ponds at the Hawaii Marine Laboratory and the Adjacent Waters of Kaneohe Bay, Oahu, 278–290
Semecarpus gigantifolia, 183
vernicifera, 183
Senecio pseudo-arnica, 500
SHERMAN, G. DONALD, *et al.*: The Role of Dehydration in Development of Laterite, 438–446
Sibbaldia procumbens, 501
Sida fallax, 167, 294
Skusea diurna, 476
Sophora tomentosa, 167
Sphagnum capillaceum, 499
Girgensohnii, 499
Sphyraena, 224
Splachnobryum luzonense, 292
Squilla, 402, 403, 425, 426
affinis, 404
alba, 399, 403, 408
arenaria, 416
boops, 403, 406
calumnia, 400, 403, 410
leptosquilla, 399
maculata, 416
monodactyla, 415
nepa, 404
oculata, 415
oratoria, 399, 403, 404

quadraticauda, 406
quadrispinosa, 412
sp?, 426, 428
stylifera, 412
Stegomyia, 453
hatiensis, 476
punctifemore, 459
Stemonosudis, 229, 231, 233, 241
elegans, 231, 242
elongata, 231, 241, 242
gracile, 231, 241, 242
intermedia, 231, 241, 242
macrura, 231, 242
miscella, 231
Sterculia glomerata, 183
Streptopus amplexifolius, 499
Studies on the Bathypelagic Fishes of the Family Paralepididae. 1. A Survey of the Genera, 219–249
Styrax kotoensis, 182
Sudis, 219, 232, 242
hyalina, 221, 222, 231, 242
squamosa, 230
Suriana maritima, 167
Symproptopterus, 235
Synchaeta longipes, 153
oblonga, 153, 157
tremula, 153
spp., 153, 157
Systematic Catalogue of Australian Braconidae, 193–218 [Index to genera and species, 215]

Tacca leontopetaloides, 166, 298, 305
Taeniorhynchus lineatopennis, 468
Terminalia catappa, 303
litoralis, 166, 294, 303
Testudinella bidentata, 155, 156
patina, 155, 158
Thalassia hemprichii, 297
Thaleichthys pacificus, 230
Thespesia populnea, 294, 304
Thuarea involuta, 299, 306
Toluifera cochinchinensis, 183
Tonna perdix, 255
TOWNSLEY, SIDNEY JOSEPH:
Adult and Larval Hawaiian Stomatopods, 399–437
Trichocerca capucina, 154
cristata, 154
cylindrica, 154
elongata, 154
longiseta, 154, 157
pusilla, 154
stylata, 154
Trichoniscus nearcticus, 177
Trichotria tetractis, 155
truncata, 155
Tripteroides, 312
(*Rachisoura*) *mathesoni*, 380
(R.) *stonei*, 380
Triumfetta procumbens, 166, 294, 303
Trossulus, 244
exoletus, 245
TSEU, WINIFRED SHUI LIN:
Seasonal Variations in Physical Environment of Ponds at Hawaii Marine Laboratory and Adjacent Waters, 278–290
Turpinia lucida, 182

Uranotaenia, 312–391
albescens, 339, 350, 357, 358
alboannulata, 372
albofasciata, 365
annandalei, 331
antennalis, 339
arguellesi, 358
argyrotarsis, 341, 349
atra, 317, 322–324, 340, 366
barnesi, 317, 322–324, 332
bimaculata, 320
cairnsensis, 324, 331
campestris, 358
cancer, 324, 331
ceylonica, 324, 331
civinskii, 317, 322–324, 340, 341, 349, 358, 366
clarae, 340
coeruleocephala lateralis, 324, 331
colocasiae, 380
delae, 340
diagonalis, 380
faurati, 358
fimbriata, 339
hebes, 366
ludlowae, 340
macfarlanei, 358
nataliae, 315
neotibialis, 339
nigerrima, 317, 373, 380
nivea, 365
nivipes, 359, 365
nivipleura, 365, 372
obscura, 380
orientalis, 365
painei, 380
pallidocephala, 340, 349
papua, 380
propria, 324, 331
pulcherima, 314
punctulatus, 358
quadrimaculata, 316, 317, 319–324, 357, 373
reyi, 340
rutherfordi, 372
setosa, 339
sexaueri, 317, 321–324, 340, 358, 359, 366
solomonis, 317, 322–324, 340, 350, 358, 365, 366
tibialis, 332
tibioclada, 339
triangulata, 365
trilineata, 372
unguiculata, 319, 366
wysockii, 316, 319–323, 366

VANDEL, A.:
A New Terrestrial Isopod from Oregon, 175–178
Vernacular Names of the Plants of Bikini, Marshall Islands. Pacific Plant Studies 12, 165–168
Vernonia cinerea, 296, 301, 304
Verralina butleri, 476
Vigna marina, 295, 300, 304
Viola Langsdorffii, 499

Wedelia biflora, 296, 304
WILSON, MILDRED STRATTON:
New Alaskan Records of *Eurytemora*, 504–512
WOODCOCK, A. H.:
Hawaii as a Cloud Physics Laboratory, 522–524

YAMAMOTO, KOKICHI:
Preliminary Studies on the Rotatorian Fauna of Korea, 151–164

Zanclus cornutus, 450
Zephyranthes rosea, 298